

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4547	(370/231,235,229,230,321,312,395, 21).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 18:34
L2	298	1 and network and flow and tdma	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 18:34
L3	4500	"370"/\$ and network and flow and tdma	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 18:34
L4	2142	3 and (latency or delay or jitter) and (bandwidth or throughput)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 18:36
L5	1293	4 and antenna	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 18:36
S1	0	("client and (network with access) and monitor\$4").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/08 17:19
S2	25874	client and (network with access) and monitor\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/10 14:50
S3	257	S2 and (regulat\$4 with client)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 17:24
S5	7	S3 and (tdma or csma)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 17:21
S6	1137	client and (network with access) and monitor\$4 and TDMA	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 17:24
S7	405	S6 and "370"/\$	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 17:25
S8	370	S7 and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:02
S9	254	S8 and (algorithm or metric)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:02
S10	115	S8 and (network with (algorithm or metric))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:14
S11	0	S10 and (regulat\$4 with client)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:06

S12	62	S10 and regulat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:07
S13	0	S9 and metric and throuput	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:08
S14	55	S9 and metric and throughput	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:10
S15	34	S14 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:11
S16	76	S9 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:12
S17	0	S16 and regulating	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:13
S18	49	S16 and regulat\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:13
S19	62	S10 and jitter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/08 18:14
S20	2	("2003/0067903").URPN.	USPAT	OR	ON	2005/11/16 14:43
S21	4499	(client or host) with ((#\$4slot\$2) or timeslot)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:38
S22	54	(client or host) with per with ((#\$4slot\$2) or timeslot)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:27
S24	22	(clients or hosts) near4 (per or each) near4 ((#\$4slot\$2) or timeslot)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:32
S25	54	(more with than (clients or hosts)) with (per or each) with ((#\$4slot\$2) or timeslot)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:34
S28	0	more with than with (clients or hosts)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:37
S29	5	mulitple with (clients or hosts)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:38
S30	204	S21 and network and tdma	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:50
S31	0	"801.1p" and "801.1q"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:50

S32	0	"801.1 p" and "801.1 q"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 10:50
S33	829	(beam or null) with orthogonal same antenna	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 16:30
S34	614	(beam or null) with orthogonal with antenna	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 16:30
S35	200	(beam or null) with orthogonal with antenna with array	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 16:32
S36	0	S35 with (throughput or bandwidth)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 16:30
S37	57	S35 and (csma or tdma)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 16:37
S38	21	S35 and (csma or tdma) and throughput	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/17 16:37